Pediatric Substance Use: Stigma and Silos

Maine AAP Spring Conference 14 April 2018

Lucien Gonzalez MD MS FAAP

@toogonzo



Disclosure Information

Maine AAP Spring Conference 14 April 2018 Lucien Gonzalez MD MS FAAP

Disclosure of Relevant Financial Relationships

I have no financial relationships to disclose.

Disclosure of Off-Label and/or Investigative Uses
I will not discuss off label use and/or investigational use in my presentation.



What is X?

Parental X negatively affects fathers' and mothers' caregiving, material support, and nurturance, and is associated with poor health and developmental outcomes for children of all ages, including prenatally. X mothers are more likely than non-X mothers to have poor parenting skills and to have negative interactions with their children. Mothers who are X are less likely to use appropriate practices (such as using car seats, smoke alarms and covering electrical outlets) to prevent injury and harm among their children, and more likely to use corporal punishment. Maternal X is a significant risk factor for child abuse and neglect.

University of Minnesota Driven to Discover



childtrends.org


UNIVERSITY OF MINNESOTA

Driven to Discover*



https://www.recoveryanswers.org/addiction-ary/


JNIVERSITY OF MINNESOTA Driven to Discover*





Neurodevelopment

- Postmortem
- fMRI











Co-morbidities

Median age onset of:

- anxiety (19-31 years)
- substance use disorder (20 years)
- mood disorder (30 years)

University of Minnesota Driven to Discover

Co-morbidities

- Almost 1:5 with any mental illness (MI) in past year, with severe MI in ~4%
- Co-occurring mental illness (MI) and substance use disorder (SUD)
 - -~6% any MI, plus SUD
 - -~2% severe MI, plus SUD

University of Minnesota Driven to Discover

Psychiatric Illness and Substance Use

- Of those with
 - any MI, two-thirds do not receive treatment
 - severe MI, almost half do not receive treatment

Transition More of a Challenge in MI/SUD

- Greater unemployment
- Lower academic attainment
- More likely to experience incarceration
- Poorer physical health
- Homelessness
- Parenting challenges

University of Minnesota Driven to Discover

Developmental Aspects

"The most frequently marked maturity criteria by youth (94,03%) was 'to take responsibility for the consequences of your actions'."

Raiu et al. (2014) Procedia - Social and Behavioral Sciences 149: 803-807

University of Minnesota Driven to Discover


Retention

Emerging adults lower 1 year retention (17 versus 45% in older adults)

Schuman-Oliver et al. (2014) J Sub Abuse Treat 47: 202-12

University of Minnesota Driven to Discover


What Are We Treating?



Vujanovic et al. (2017) Current Opinion in Psychology 14: 49-55

University of Minnesota Driven to Discover

What Are We Treating?



Grierson et al. (2016) Psychological Med 46: 2467-84



UNIVERSITY OF MINNESOTA

Driven to Discover*



University of Minnesota Driven to Discover®




University of Minnesota Driven to Discover

Our Approach

Multidisciplinary Team

- Psychology (PhD/LAMFT)
- Case manager (LICSW)
- Pharmacist (PharmD)
- Nursing (RN)
- MD







University of Minnesota Driven to Discover

No excuses

Online Training for Waiver to Prescribe Buprenorphine

This 8-hour *online* or *in-person* course is free to AAP members and will allow them to apply for a waiver to prescribe buprenorphine as part of treatment of young people with opioid use disorder and learn about the use of naltrexone.

The course can be accessed at:

www.aap.org/mat

University of Minnesota Driven to Discover

Discuss

